

Package ‘causalreg’

March 1, 2026

Title Causal Generalized Linear Models

Version 0.1.2

Description An implementation of methods for causal discovery in a structural causal model where the conditional distribution of the target node is described by a generalized linear model conditional on its causal parents.

License GPL-3

Encoding UTF-8

RoxygenNote 7.3.3

Imports mgcv

NeedsCompilation no

Author Veronica Vinciotti [aut, cre],
Ernst C. Wit [aut]

Maintainer Veronica Vinciotti <veronica.vinciotti@unitn.it>

Repository CRAN

Date/Publication 2026-03-01 22:50:06 UTC

Contents

cgam	1
cglm	3

Index	6
--------------	----------

cgam	<i>Causal generalized additive model</i>
------	--

Description

This function does a search for a causal submodel within the generalized additive model provided.

Usage

```
cgam(
  formula,
  family,
  data,
  alpha = 0.05,
  pval = c("bootstrap", "chi-squared"),
  B = 100,
  search = c("all", "stepwise"),
  ...
)
```

Arguments

formula	A formula object.
family	A distributional family object. Currently supported options are: binomial and poisson.
data	A data frame containing the variables in the model.
alpha	Significance level for statistical test.
pval	If pval="bootstrap", a bootstrap test is conducted to test whether Pearson risk is 1. When family="poisson" a chi-squared test can be conducted by setting pval="chi-square".
B	Number of bootstrap samples when pval="bootstrap". Default is 100.
search	If search="stepwise", a greedy forward stepwise search is conducted. Default is search="all", in which case all possible submodels are considered.
...	Further arguments to be passed to the gam function.

Value

A gam object of the selected causal submodel.

References

Polinelli, A., V. Vinciotti and E.C. Wit. (2026). "Causal generalized linear models via Pearson risk invariance" *Journal of Causal Inference*.

Examples

```
#####
#causal Poisson gam#####
n<-1000
set.seed(123)
X1<-rnorm(n,0,1)
Y<-rpois(n,exp(sin(X1)))
X2<-log(Y+1)+rnorm(n,0,0.5)
data<-data.frame(X1, X2, Y)
cm_all<-cgam(Y ~ s(X1)+s(X2), "poisson", data, pval="chi-square", search="all")
```

```

cm_all$model.opt
cm_step<-cgam(Y ~ s(X1)+s(X2), "poisson", data, pval="chi-square", search="stepwise")
cm_step$model.opt

#bigger simulation with 7 covariates
set.seed(123)
n<-1000
X1<-rnorm(n=n, sd=sqrt(0.04))
X2<-X1+rnorm(n=n, sd=sqrt(0.04))
X3<-X1+X2+rnorm(n=n, sd=sqrt(0.04))
m<-sin(X2*5)+X3^3
Z<-m+rnorm(n=n, sd=sqrt(0.04))
X4<-X2+rnorm(n=n, sd=sqrt(0.04))
X5<-Z+rnorm(n=n, sd=sqrt(0.04))
X6<-Z+rnorm(n=n, sd=sqrt(0.04))
X7<-X6+rnorm(n=n, sd=sqrt(0.04))
Y<-qpois(pnorm(Z, mean = m, sd = sqrt(0.04)), lambda=exp(m))
dat<-data.frame(X1, X2, X3, X4, X5, X6, X7, Y)
fml<- Y~s(X1)+s(X2)+s(X3)+s(X4)+s(X5)+s(X6)+s(X7)
mod.all <-cgam(fml, "poisson", dat, pval="chi-square", search="all")
mod.all$model.opt
mod.step <-cgam(fml, "poisson", dat, pval="chi-square", search="stepwise")
mod.step$model.opt
#####
#causal logistic gam#####
n<-1000
set.seed(123)
X1<-rnorm(n, 0, 1)
Y<-rbinom(n, 1, exp(X1)/(1+exp(X1)))
flip<-rbinom(n, 1, 0.1)
X2<-(1-flip)*Y+rnorm(n, 0, 0.3)
data<-data.frame(X1, X2, Y)
set.seed(1)
cm_all<-cgam(Y ~ s(X1)+s(X2), "binomial", data, pval="bootstrap", search="all")
cm_all$model.opt
set.seed(1)
cm_step<-cgam(Y ~ s(X1)+s(X2), "binomial", data, pval="bootstrap", search="stepwise")
cm_step$model.opt

```

cglm

Causal generalized linear model

Description

This function does a search for a causal submodel within the generalized linear model provided.

Usage

```
cglm(
```

```

    formula,
    family,
    data,
    alpha = 0.05,
    pval = c("bootstrap", "chi-square"),
    B = 100,
    search = c("all", "stepwise"),
    ...
  )

```

Arguments

formula	A formula object.
family	A distributional family object. Currently supported options are: binomial and poisson.
data	A data frame containing the variables in the model.
alpha	Significance level for statistical test
pval	If pval="bootstrap", a bootstrap test is conducted to test whether Pearson risk is 1. When family="poisson" a chi-squared test can be conducted by setting pval="chi-square".
B	Number of bootstrap samples when pval="bootstrap". Default is 100.
search	If search="stepwise", a greedy forward stepwise search is conducted. Default is search="all", in which case all possible submodels are considered.
...	Further arguments to be passed to the glm function.

Value

A glm object of the selected causal submodel.

References

Polinelli, A., V. Vinciotti and E.C. Wit. (2026). "Causal generalized linear models via Pearson risk invariance" *Journal of Causal Inference*.

Examples

```

#####
#causal Poisson glm#####
n<-1000
set.seed(123)
X1<-rnorm(n,0,1)
Y<-rpois(n,exp(X1))
X2<-log(Y+1)+rnorm(n,0,0.3)
data<-data.frame(X1, X2, Y)
cm_all<-cglm(Y ~ X1+X2,"poisson",data,pval="chi-square",search="all")
cm_all$model.opt
cm_step<-cglm(Y ~ X1+X2,"poisson",data,pval="chi-square",search="stepwise")
cm_step$model.opt

```

```
#####  
#causal logistic glm#####  
n<-2000  
set.seed(123)  
X1<-rnorm(n,0,1)  
Y<-rbinom(n,1,exp(X1)/(1+exp(X1)))  
flip<-rbinom(n,1,0.1)  
X2<-(1-flip)*Y+rnorm(n,0,0.3)  
data<-data.frame(X1, X2, Y)  
set.seed(1)  
cm_all<-cglm(Y ~ X1+X2,"binomial",data,pval="bootstrap",search="all")  
cm_all$model.opt  
set.seed(1)  
cm_step<-cglm(Y ~ X1+X2,"binomial",data,pval="bootstrap",search="stepwise")  
cm_step$model.opt  
#bigger simulation with 5 covariates  
set.seed(12)  
n<-3000  
X1<-rnorm(n,0,1)  
X2<-rnorm(n,X1,0.5)  
X3<-rnorm(n,0,1)  
X4<-rnorm(n,X2,.5)  
Y<-rbinom(n,1,exp(.8*X2-.9*X3)/(1+exp(.8*X2-.9*X3)))  
flip<-rbinom(n,1,0.1)  
X5<-(1-flip)*Y+flip*(1-Y)+rnorm(n,0,.3)  
dat<-data.frame(X1, X2, X3, X4, X5,Y)  
set.seed(1)  
mod.all <-cglm(Y~X1+X2+X3+X4+X5,"binomial",dat,pval="bootstrap",search="all")  
mod.all$model.opt  
set.seed(1)  
mod.step <-cglm(Y~X1+X2+X3+X4+X5,"binomial",dat,pval="bootstrap",search="stepwise")  
mod.step$model.opt
```

Index

cgam, 1
cglm, 3