

# Package ‘robustX’

February 23, 2026

**Type** Package

**Title** 'eXtra' / 'eXperimental' Functionality for Robust Statistics

**Version** 1.2-8

**VersionNote** Last CRAN: 1.2-7 on 2023-06-16

**Date** 2026-02-20

**Maintainer** Martin Maechler <maechler@stat.math.ethz.ch>

**URL** <https://robustbase.R-forge.R-project.org/>,  
[https://R-forge.R-project.org/R/?group\\_id=59](https://R-forge.R-project.org/R/?group_id=59),  
[https://R-forge.R-project.org/scm/viewvc.php/pkg/robustX/?root=robustbase,  
svn://svn.r-forge.r-project.org/svnroot/robustbase/pkg/robustX](https://R-forge.R-project.org/scm/viewvc.php/pkg/robustX/?root=robustbase,svn://svn.r-forge.r-project.org/svnroot/robustbase/pkg/robustX)

**BugReports** [https://R-forge.R-project.org/tracker/?atid=302&group\\_id=59](https://R-forge.R-project.org/tracker/?atid=302&group_id=59)

**Description** Robustness -- 'eXperimental', 'eXtraneous', or 'eXtraordinary'  
Functionality for Robust Statistics. Hence methods which are not well established,  
often related to methods in package 'robustbase'. Amazingly, 'BACON()', originally by  
Billor, Hadi, and Velleman (2000) <[doi:10.1016/S0167-9473\(99\)00101-2](https://doi.org/10.1016/S0167-9473(99)00101-2)>  
has become established in places. The ``barrow wheel" `rbwheel()` is from  
Stahel and Mächler (2009) <[doi:10.1111/j.1467-9868.2009.00706.x](https://doi.org/10.1111/j.1467-9868.2009.00706.x)>.

**Imports** grDevices, graphics, stats, utils, robustbase (>= 0.92-3)

**Suggests** MASS, lattice, pcaPP

**Enhances** ICS

**License** GPL (>= 2)

**Encoding** UTF-8

**NeedsCompilation** no

**Author** Martin Maechler [aut, cre] (ORCID:  
<<https://orcid.org/0000-0002-8685-9910>>),  
Werner A. Stahel [aut],  
Rolf Turner [ctb] (reclas()),  
Ueli Oetliker [ctb] (original version of BACON() and mvBACON for S+),  
Tobias Schoch [ctb] (init.sel=``V2" for BACON; fix alpha)

**Repository** CRAN

**Date/Publication** 2026-02-23 11:40:02 UTC

## Contents

robustX-package	2
BACON	3
covNNC	6
L1median	8
mvBACON	10
Qrot	12
rbwheel	13
reclas	15
<b>Index</b>	<b>18</b>

---

robustX-package	<i>eXperimental eXtraneous ... Functionality for Robust Statistics</i>
-----------------	--

---

## Description

The package **robustX** aims to be a collection of R functionality for robust statistics of methods and ideas that are considered as proposals, experimental, for experiences or just too much specialized to be part of the “Robust Basics” package **robustbase**.

## Details

Package: robustX  
 Type: Package  
 Title: 'eXtra' / 'eXperimental' Functionality for Robust Statistics  
 Version: 1.2-8  
 VersionNote: Last CRAN: 1.2-7 on 2023-06-16  
 Date: 2026-02-20  
 Authors@R: c(person("Martin", "Maechler", role=c("aut", "cre"), email="maechler@stat.math.ethz.ch", comment = c(ORCID="0000-0002-8685-9910")), person("Werner A. Stahel", role="aut", email="stahel@stat.math.ethz.ch"), person("Rolf Tutz", role="aut", email="tutz@stat.math.ethz.ch"))  
 Maintainer: Martin Maechler <maechler@stat.math.ethz.ch>  
 URL: <https://robustbase.R-forge.R-project.org/>, [https://R-forge.R-project.org/R/?group\\_id=59](https://R-forge.R-project.org/R/?group_id=59), [https://R-forge.R-project.org/trackers/?atid=302&group\\_id=59](https://R-forge.R-project.org/trackers/?atid=302&group_id=59)  
 BugReports: [https://R-forge.R-project.org/trackers/?atid=302&group\\_id=59](https://R-forge.R-project.org/trackers/?atid=302&group_id=59)  
 Description: Robustness – 'eXperimental', 'eXtraneous', or 'eXtraordinary' Functionality for Robust Statistics. Hence methods for robustness, experimental, extraneous, or extraordinary.  
 Imports: grDevices, graphics, stats, utils, robustbase (>= 0.92-3)  
 Suggests: MASS, lattice, pcaPP  
 Enhances: ICS  
 License: GPL (>= 2)  
 Encoding: UTF-8  
 Author: Martin Maechler [aut, cre] (ORCID: <<https://orcid.org/0000-0002-8685-9910>>), Werner A. Stahel [aut], Rolf Tutz [aut]

Index of help topics:

BACON	BACON for Regression or Multivariate Covariance Estimation
L1median	Compute the Multivariate L1-Median aka 'Spatial Median'
Qrot	Rotation Matrix to Specific Direction
covNNC	Robust Covariance Estimation via Nearest Neighbor Cleaning
mvBACON	BACON: Blocked Adaptive Computationally-Efficient Outlier Nominators
rbwheel	Multivariate Barrow Wheel Distribution Random Vectors
reclas	Recursive Robust Median-like Location and Scale
robustX-package	eXperimental eXtraneous ... Functionality for Robust Statistics

**Author(s)**

Werner Stahel, Martin Maechler and potentially others

Maintainer: Martin Maechler

**See Also**

Package **robustbase** which it complements and on which it depends; further package **robust** and the whole CRAN task view on robust statistics, <https://cran.r-project.org/view=Robust>

**Examples**

```
pairs( rbwheel(100, 4) )
```

---

BACON

*BACON for Regression or Multivariate Covariance Estimation*

---

**Description**

BACON, short for ‘**B**locked **A**daptive **C**omputationally-Efficient **O**utlier **N**ominators’, is a somewhat robust algorithm (set), with an implementation for regression or multivariate covariance estimation.

BACON() applies the multivariate (covariance estimation) algorithm, using `mvBACON(x)` in any case, and when `y` is not NULL adds a regression iteration phase, using the auxiliary `.lmBACON()` function.

**Usage**

```
BACON(x, y = NULL, intercept = TRUE,
      m = min(collect * p, n * 0.5),
      init.sel = c("Mahalanobis", "dUniMedian", "random", "manual", "V2"),
      man.sel, init.fraction = 0, collect = 4,
      alpha = 0.05, alphaLM = alpha, maxsteps = 100, verbose = TRUE)
```

```
## *Auxiliary* function:
.lmBACON(x, y, intercept = TRUE,
         init.dis, init.fraction = 0, collect = 4,
         alpha = 0.05, maxsteps = 100, verbose = TRUE)
```

### Arguments

<code>x</code>	a multivariate matrix of dimension [n x p] considered as containing no missing values.
<code>y</code>	the response (n vector) in the case of regression, or NULL for the multivariate case, where just <code>mvBACON()</code> is returned.
<code>intercept</code>	logical indicating if an intercept has to be used for the regression.
<code>m</code>	integer in 1:n specifying the size of the initial basic subset; used only when <code>init.sel</code> is not "manual"; see <code>mvBACON</code> .
<code>init.sel</code>	character string, specifying the initial selection mode; see <code>mvBACON</code> .
<code>man.sel</code>	only when <code>init.sel == "manual"</code> , the indices of observations determining the initial basic subset (and <code>m &lt;- length(man.sel)</code> ).
<code>init.dis</code>	the distances of the x matrix used for the initial subset determined by <code>mvBACON</code> .
<code>init.fraction</code>	if this parameter is > 0 then the tedious steps of selecting the initial subset are skipped and an initial subset of size $n * \text{init.fraction}$ is chosen (with smallest dis)
<code>collect</code>	numeric factor chosen by the user to define the size of the initial subset ( $p * \text{collect}$ )
<code>alpha</code>	number in (0,1) determining the cutoff value for the Mahalanobis distances (multivariate outlier nomination in <code>mvBACON()</code> ), or the discrepancies for regression, see <code>alphaLM</code> .
<code>alphaLM</code>	number in (0,1) where a $1 - \alpha M$ t-quantile is the cutoff for the discrepancies (for regression, <code>.lmBACON()</code> ); see details.
<code>maxsteps</code>	the maximal number of iteration steps (to prevent infinite loops)
<code>verbose</code>	logical indicating if messages are printed which trace progress of the algorithm.

### Details

Notably about the initial selection mode, `init.sel`, see its description in the `mvBACON` arguments list.

The choice of `alpha` and `alphaLM`:

- Multivariate outlier nomination: see the Details section of `mvBACON`.
- Regression: Let  $t_r(\alpha)$  denote the  $1 - \alpha$  quantile of the Student  $t$ -distribution with  $r$  degrees of freedom, where  $r$  is the number of elements in the current subset; e.g.,  $t_r(0.05)$  is the 0.95 quantile. Following Billor et al. (2000), the cutoff value for the discrepancies is defined as  $t_r(\alpha/(2r + 2))$ , and they use  $\alpha = 0.05$ . Note that this is argument `alphaLM` (defaulting to `alpha`) for `BACON()`.

**Value**

BACON(x, y, ...) (for regression) returns a [list](#) with components

subset	the observation indices (in 1:n) denoting a subset of “good” supposedly outlier-free observations.
tis	the $t_i(y_m, X_m)$ of eq (6) in the reference; the clean “basic subset” in the algorithm is defined the observations $i$ with the smallest $ t_i $ , and the $t_i$ can be regarded as scaled predicted errors.
mv.dis	the (final) discrepancies or distances of mvBACON().
mv.subset	the “good” subset from mvBACON(), used to start the regression iterations.

**Note**

“BACON” was also chosen in honor of Francis Bacon:

*Whoever knows the ways of Nature will more easily notice her deviations; and, on the other hand, whoever knows her deviations will more accurately describe her ways.*

Francis Bacon (1620), *Novum Organum* II 29.

**Author(s)**

Ueli Oetliker, Swiss Federal Statistical Office, for S-plus 5.1; 25.05.2001; modified six times till 17.6.2001.

Port to R, testing etc, by Martin Maechler. Daniel Weeks (at pitt.edu) proposed a fix to a long standing buglet in GiveTis() computing the  $t_i$ , which was further improved Maechler, for **robustX** version 1.2-3 (Feb. 2019).

Correction of alpha default, from 0.95 to 0.05, by Tobias Schoch, see [mvBACON](#).

**References**

Billor, N., Hadi, A. S., and Velleman, P. F. (2000). BACON: Blocked Adaptive Computationally-Efficient Outlier Nominators; *Computational Statistics and Data Analysis* **34**, 279–298. doi:10.1016/S01679473(99)001012

**See Also**

[mvBACON](#), the multivariate version of the BACON algorithm.

**Examples**

```
data(starsCYG, package = "robustbase")
## Plot simple data and fitted lines
plot(starsCYG)
lmST <- lm(log.light ~ log.Te, data = starsCYG)
abline(lmST, col = "gray") # least squares line
str(B.ST <- with(starsCYG, BACON(x = log.Te, y = log.light)))
## 'subset': A good set of of points (to determine regression):
colB <- adjustcolor(2, 1/2)
points(log.light ~ log.Te, data = starsCYG, subset = B.ST$subset,
```

```

      pch = 19, cex = 1.5, col = colB)
## A BACON-derived line:
lmB <- lm(log.light ~ log.Te, data = starsCYG, subset = B.ST$subset)
abline(lmB, col = colB, lwd = 2)

require(robustbase)
(RlmST <- lmrob(log.light ~ log.Te, data = starsCYG))
abline(RlmST, col = "blue")

```

---

covNNC

---

*Robust Covariance Estimation via Nearest Neighbor Cleaning*


---

## Description

covNNC() estimates robust covariance/dispersion matrices by the nearest neighbor variance estimation (NNVE) or (rather) “Nearest Neighbor Cleaning” (NNC) method of Wang and Raftery (2002, *JASA*).

## Usage

```

covNNC(X, k = min(12, n - 1), pnoise = 0.05, emconv = 0.001,
       bound = 1.5, extension = TRUE, devsm = 0.01,
       trace.lev = FALSE)

```

## Arguments

X	matrix in which each row represents an observation or point and each column represents a variable.
k	desired number of nearest neighbors (default is 12)
pnoise	percent of added noise
emconv	convergence tolerance for EM
bound	value used to identify surges in variance caused by outliers wrongly included as signal points; $(1 + \text{bound}) \times$ is used always, hence by default ( $\text{bound} = 1.5$ ), we check for a 150 percent increase.
extension	whether or not to continue after reaching the last chi-square distance. The default is to continue, indicated by <code>extension = TRUE</code> .
devsm	when <code>extension = TRUE</code> , the algorithm stops if the relative difference in variance is less than <code>devsm</code> , default is 0.01.
trace.lev	logical or integer indicating if (more or less verbose) console output should trace algorithmic progress; default is <i>no</i> tracing.

**Value**

A list with components

cov	covariance matrix
mu	mean vector
postprob	posterior probability
classification	classification (0=noise otherwise 1) obtained by rounding postprob
inncc	list of initial nearest neighbor cleaning results (components are the covariance, mean, posterior probability and classification)

**Note**

Terms of use: GPL version 2 or newer.

MM: Even though covNNC() is backed by a serious scientific publication, I cannot recommend its use at all, also for the reason of its numerical instability leading to somewhat platform dependent results.

**Author(s)**

Naisyin Wang <nwang@stat.tamu.edu> and Adrian Raftery <raftery@stat.washington.edu> with contributions from Chris Fraley <fraley@stat.washington.edu>.

covNNC(), then named cov.nnve(), used to be (the only function) in CRAN package **covRobust** (2003), which was archived in 2012.

Martin Maechler allowed ncol(X) == 1, sped up the original code, by reducing the amount of scaling; further, the accuracy was increased (using internal q.dDk()). The original version is available, unexported as robustX:::covNNC1.

**References**

Wang, N. and Raftery, A. (2002) Nearest neighbor variance estimation (NNVE): Robust covariance estimation via nearest neighbor cleaning (with discussion). *Journal of the American Statistical Association* **97**, 994–1019.

See also University of Washington Statistics Technical Report 368 (2000); see at <https://stat.uw.edu/research/tech-reports/>

**See Also**

[cov.mcd](#) from package **MASS**; [covMcd](#), and [covOGK](#) from package **robustbase**.

The whole package **rrcov**.

**Examples**

```
data(iris)
covNNC(iris[-5])

data(hbk, package="robustbase")
hbk.x <- data.matrix(hbk[, 1:3])
covNNC(hbk.x)
```

L1median

Compute the Multivariate L1-Median aka 'Spatial Median'

**Description**

Compute the multivariate  $L_1$ -median  $m$ , also called “Spatial Median”, i.e., the minimizer of

$$\sum_{i=1}^n \|x_i - m\|,$$

where  $\|u\| = \sqrt{\sum_{j=1}^p u_j^2}$ .

As a convex problem, there's always a global minimizer, computable not by a closed formula but rather an iterative search. As the (partial) first derivatives of the objective function is undefined at the data points, the minimization is not entirely trivial.

**Usage**

```
L1median(X, m.init = colMedians(X), weights = NULL,
method = c("nlm", "HoCrJo", "VardiZhang", optimMethods, nlminbMethods),
pscale = apply(abs(centr(X, m.init)), 2, mean, trim = 0.40),
tol = 1e-08, maxit = 200, trace = FALSE,
zero.tol = 1e-15, ...)
```

**Arguments**

<code>X</code>	numeric <i>matrix</i> of dimension $n \times p$ , say.
<code>m.init</code>	starting value for $m$ ; typically and by default the coordinatewise median.
<code>weights</code>	optional numeric vector of non-negative weights; currently only implemented for method "VardiZhang".
<code>method</code>	character string specifying the computational method, i.e., the algorithm to be used (can be abbreviated).
<code>pscale</code>	numeric $p$ -vector of positive numbers, the coordinate-wise scale (typical size of $\delta m_j$ ), where $m$ is the problem's solution.
<code>tol</code>	positive number specifying the (relative) convergence tolerance.
<code>maxit</code>	positive integer specifying the maximal number of iterations (before the iterations are stopped prematurely if necessary).
<code>trace</code>	an integer specifying the tracing level of the iterations; 0 does no tracing
<code>zero.tol</code>	for method "VardiZhang", a small positive number specifying the tolerance for determining that the iteration is 'exactly' at a data point (which is a singularity).
<code>...</code>	optional arguments to <code>nlm()</code> or the <code>control</code> (list) arguments of <code>optim()</code> , or <code>nlminb()</code> , respectively.

**Details**

Currently, we have to refer to the “References” below.

**Value**

currently the result *depends* strongly on the method used.

FIXME. This will change considerably.

**Author(s)**

Martin Maechler. Method "HoCrJo" is mostly based on Kristel Joossens' R function, implementing Hossjer and Croux (1995).

**References**

Hossjer and Croux, C. (1995). Generalizing Univariate Signed Rank Statistics for Testing and Estimating a Multivariate Location Parameter. *Non-parametric Statistics* **4**, 293–308.

Vardi, Y. and Zhang, C.-H. (2000). The multivariate  $L_1$ -median and associated data depth. *Proc. National Academy of Science* **97**(4), 1423–1426.

Fritz, H. and Filzmoser, P. and Croux, C. (2012) A comparison of algorithms for the multivariate  $L_1$ -median. *Computational Statistics* **27**, 393–410.

Kent, J. T., Er, F. and Constable, P. D. L. (2015) Algorithms for the spatial median;, in K. Nordhausen and S. Taskinen (eds), *Modern Nonparametric, Robust and Multivariate Methods: Festschrift in Honour of Hannu Oja*, Springer International Publishing, chapter 12, pp. 205–224. doi:10.1007/9783319224046\_12

**See Also**

[median](#), [covMcd](#)

CRAN package **pcaPP** added more  $L_1$  median methods, re-implementing our R versions in C++, see Fritz et al.(2012) and e.g., [l1median\\_NLM\(\)](#).

**Examples**

```
data(stackloss)
L1median(stackloss)
L1median(stackloss, method = "HoCrJo")

## Explore all methods:
m <- eval(formals(L1median)$method); allMeths <- m[m != "Brent"]
L1m <- sapply(allMeths, function(meth) L1median(stackloss, method = meth))
## --> with a warning for L-BFGS-B
str(L1m)
pm <- sapply(L1m, function(.) if(is.numeric(.)) . else .$par)
t(pm) # SANN differs a bit; same objective ?
```

---

mvBACON	<i>BACON: Blocked Adaptive Computationally-Efficient Outlier Nominators</i>
---------	---

---

### Description

This function performs an outlier identification algorithm to the data in the  $x$  array  $[n \times p]$  and  $y$  vector  $[n]$  following the lines described by Hadi et al. for their BACON outlier procedure.

### Usage

```
mvBACON(x, collect = 4, m = min(collect * p, n * 0.5), alpha = 0.05,
        init.sel = c("Mahalanobis", "dUniMedian", "random", "manual", "V2"),
        man.sel, maxsteps = 100, allowSingular = FALSE, verbose = TRUE)
```

### Arguments

$x$	numeric matrix (of dimension $[n \times p]$ ), not supposed to contain missing values.
collect	a multiplication factor $c$ , when <code>init.sel</code> is not "manual", to define $m$ , the size of the initial basic subset, as $m := c \cdot p$ , in practice, $m <- \min(p \cdot \text{collect}, n/2)$ .
$m$	integer in $1:n$ specifying the <i>size</i> of the initial basic subset; used only when <code>init.sel</code> is not "manual".
alpha	determines the cutoff value for the Mahalanobis distances (see details).
init.sel	character string, specifying the initial selection mode; implemented modes are: <b>"Mahalanobis"</b> based on Mahalanobis distances (default); the version $V1$ of the reference; affine invariant but not robust. <b>"dUniMedian"</b> based on the distances from the <b>univariate</b> medians; similar to the version $V2$ of the reference; robust but not affine invariant. <b>"random"</b> based on a random selection, i.e., reproducible only via <code>set.seed()</code> . <b>"manual"</b> based on manual selection; in this case, a vector <code>man.sel</code> containing the indices of the selected observations must be specified. <b>"V2"</b> based on the Euclidean norm from the <b>univariate</b> medians; this is the version $V2$ of the reference; robust but not affine invariant. "Mahalanobis" and "V2" where proposed by Hadi and the other authors in the reference as versions 'V_1' and 'V_2', as well as "manual", while "random" is provided in order to study the behaviour of BACON. Option "dUniMedian" is similar to "V2" and is due to U. Oetliker.
man.sel	only when <code>init.sel == "manual"</code> , the indices of observations determining the initial basic subset (and $m <- \text{length}(\text{man.sel})$ ).
maxsteps	maximal number of iteration steps.
allowSingular	logical indicating a solution should be sought also when no matrix of rank $p$ is found.
verbose	logical indicating if messages are printed which trace progress of the algorithm.

## Details

Remarks on the tuning parameter alpha: Let  $\chi_p^2$  be a chi-square distributed random variable with  $p$  degrees of freedom ( $p$  is the number of variables;  $n$  is the number of observations). Denote the  $(1 - \alpha)$  quantile by  $\chi_p^2(\alpha)$ , e.g.,  $\chi_p^2(0.05)$  is the 0.95 quantile. Following Billor et al. (2000), the cutoff value for the Mahalanobis distances is defined as  $\chi_p(\alpha/n)$  (the square root of  $\chi_p^2(\alpha)$ ) times a correction factor  $c(n, p)$ ,  $n$  and  $p$ , and they use  $\alpha = 0.05$ .

## Value

a `list` with components

<code>subset</code>	logical vector of length $n$ where the $i$ -th entry is true iff the $i$ -th observation is part of the final selection.
<code>dis</code>	numeric vector of length $n$ with the (Mahalanobis) distances.
<code>cov</code>	$p \times p$ matrix, the corresponding robust estimate of covariance.

## Author(s)

Ueli Oetliker, Swiss Federal Statistical Office, for S-plus 5.1. Port to R, testing etc, by Martin Maechler; Init selection "V2" and correction of default alpha from 0.95 to 0.05, by Tobias Schoch, FHNW Olten, Switzerland.

## References

Billor, N., Hadi, A. S., and Velleman, P. F. (2000). BACON: Blocked Adaptive Computationally-Efficient Outlier Nominators; *Computational Statistics and Data Analysis* **34**, 279–298. doi:10.1016/S01679473(99)001012

## See Also

`covMcd` for a high-breakdown (but more computer intensive) method; `BACON` for a “generalization”, notably to *regression*.

## Examples

```
require(robustbase) # for example data and covMcd():
## simple 2D example :
plot(starsCYG, main = "starsCYG data (n=47)")
B.st <- mvBACON(starsCYG)
points(starsCYG[! B.st$subset,], pch = 4, col = 2, cex = 1.5)
stopifnot(identical(which(!B.st$subset), c(7L,11L,20L,30L,34L)))
## finds the 4 clear outliers (and 1 "borderline");
## it does not find obs. 14 which is an outlier according to covMcd(.)

iniS <- setNames(, eval(formals(mvBACON)$init.sel)) # all initialization methods, incl "random"
set.seed(123)
Bs.st <- lapply(iniS[iniS != "manual"], function(s)
  mvBACON(as.matrix(starsCYG), init.sel = s, verbose=FALSE))
ii <- - match("steps", names(Bs.st[[1]]))
Bs.s1 <- lapply(Bs.st, `[`, ii)
```

```

stopifnot(exprs = {
  length(Bs.s1) >= 4
  length(unique(Bs.s1)) == 1 # all 4 methods give the same
})

## Example where "dUniMedian" and "V2" differ :
data(pulpfiber, package="robustbase")
dU.plp <- mvBACON(as.matrix(pulpfiber), init.sel = "dUniMedian")
V2.plp <- mvBACON(as.matrix(pulpfiber), init.sel = "V2")
(oU <- which(! dU.plp$subset))
(o2 <- which(! V2.plp$subset))
stopifnot(setdiff(o2, oU) %in% c(57L,58L,59L,62L))
## and 57, 58, 59, and 62 *are* outliers according to covMcd(.)

## 'coleman' from pkg 'robustbase'
coleman.x <- data.matrix(coleman[, 1:6])
Cc <- covMcd (coleman.x) # truly robust
summary(Cc) # -> 6 outliers (1,3,10,12,17,18)
Cb1 <- mvBACON(coleman.x) ##-> subset is all TRUE hmm??
Cb2 <- mvBACON(coleman.x, init.sel = "dUniMedian")
stopifnot(all.equal(Cb1, Cb2))
## try 20 different random starts:
Cb.r <- lapply(1:20, function(i) { set.seed(i)
  mvBACON(coleman.x, init.sel="random", verbose=FALSE) })
nm <- names(Cb.r[[1]]); nm <- nm[nm != "steps"]
all(eqC <- sapply(Cb.r[-1], function(CC) all.equal(CC[nm], Cb.r[[1]][nm]))) # TRUE
## --> BACON always breaks down, i.e., does not see the outliers here

## breaks down even when manually starting with all the non-outliers:
Cb.man <- mvBACON(coleman.x, init.sel = "manual",
  man.sel = setdiff(1:20, c(1,3,10,12,17,18)))
which( ! Cb.man$subset) # the outliers according to mvBACON : _none_

```

---

Qrot

*Rotation Matrix to Specific Direction*


---

## Description

Construct the  $p \times p$  rotation matrix that rotates the unit vector  $(1,0,\dots,0)$ , i.e., the  $x_1$ -axis, onto  $(1,1,1,\dots,1)/\sqrt{p}$ , or more generally to  $u/\|u\|$  ( $u := \text{unit.image}$ ).

## Usage

```
Qrot(p, transpose = FALSE, unit.image = rep(1, p))
```

## Arguments

<code>p</code>	integer; the dimension (of the vectors involved).
<code>transpose</code>	logical indicating if the <i>transposed</i> matrix is to returned.
<code>unit.image</code>	numeric vector of length $p$ onto which the unit vector should be rotated; defaults to <i>"the diagonal"</i> $\propto (1, 1, 1, \dots, 1)$ .

**Details**

The `qr` decomposition is used for a Gram-Schmitt basis orthogonalization.

**Value**

$p \times p$  orthogonal matrix which rotates  $(1, 0, \dots, 0)$  onto a vector proportional to `unit.image`.

**Author(s)**

Martin Maechler

**See Also**

`qr`, matrix (and vector) multiplication, `%*%`.

**Examples**

```
Q <- Qrot(6)
zapsmall(crossprod(Q)) # 6 x 6 unity <==> Q'Q = I <==> Q orthogonal

if(require("MASS")) {
  Qt <- Qrot(6, transpose = TRUE)
  stopifnot(all.equal(Qt, t(Q)))
  fractions(Qt ^2) # --> 1/6 1/30 etc, in an almost lower-triagonal matrix
}
```

---

 rbwheel

---

*Multivariate Barrow Wheel Distribution Random Vectors*


---

**Description**

Generate  $p$ -dimensional random vectors according to Stahel's Barrow Wheel Distribution.

**Usage**

```
rbwheel(n, p, frac = 1/p, sig1 = 0.05, sig2 = 1/10,
        rGood = rnorm,
        rOut = function(n) sqrt(rchisq(n, p - 1)) * sign(runif(n, -1, 1)),
        U1 = rep(1, p),
        scaleAfter = TRUE, scaleBefore = FALSE, spherize = FALSE,
        fullResult = FALSE)
```

**Arguments**

n	integer, specifying the sample size.
p	integer, specifying the dimension (aka number of variables).
frac	numeric, the proportion of outliers. The default, $1/p$ , corresponds to the (asymptotic) breakdown point of M-estimators.
sig1	thickness of the “wheel”, ( $= \sigma(\text{good}[, 1])$ ), a non-negative numeric.
sig2	thickness of the “axis” (compared to 1).
rGood	function; the generator for “good” observations.
rOut	function, generating the outlier observations.
U1	p-vector to which $(1, 0, \dots, 0)$ is rotated.
scaleAfter	logical indicating if the matrix is re-scaled <i>after</i> rotation (via <code>scale()</code> ). Default TRUE; note that this used to be false by default in the first public version.
scaleBefore	logical indicating if the matrix is re-scaled before rotation (via <code>scale()</code> ).
spherize	logical indicating if the matrix is to be “spherized”, i.e., rotated and scaled to have empirical covariance $I_p$ . This means that the principal components are used (before rotation).
fullResult	logical indicating if in addition to the $n \times p$ matrix, some intermediate quantities are returned as well.

**Details**

....

**Value**

By default (when `fullResult` is FALSE), an  $n \times p$  matrix of  $n$  sample vectors of the  $p$  dimensional barrow wheel distribution, with an attribute, `n1` specifying the exact number of “good” observations,  $n1 \approx (1 - f) \cdot n$ ,  $f = \text{frac}$ .

If `fullResult` is TRUE, a list with components

X	the $n \times p$ matrix of above, $X = X0 \%*\% A$ , where $A \leftarrow \text{Qrot}(p, u = U1)$ , and $X0$ is the corresponding matrix before rotation, see below.
X0	.....
A	the $p \times p$ rotation matrix, see above.
n1	the number of “good” observations, see above.
n2	the number of “outlying” observations, $n2 = n - n1$ .

**Author(s)**

Werner Stahel and Martin Maechler

**References**

<https://people.math.ethz.ch/~maechler/robustness.html>

Stahel, W.-A. and Mächler, M. (2009). Comment on “invariant co-ordinate selection”, *Journal of the Royal Statistical Society B* **71**, 584–586. doi:10.1111/j.14679868.2009.00706.x

## Examples

```

set.seed(17)
rX8 <- rbwheel(1000,8, fullResult = TRUE, scaleAfter=FALSE)
with(rX8, stopifnot(all.equal(X, X0 %% A, tol = 1e-15),
  all.equal(X0, X %% t(A), tol = 1e-15)))
##--> here, don't need to keep X0 (nor A, since that is Qrot(p))

## for n = 100, you don't see "it", but may guess .. :
n <- 100
pairs(r <- rbwheel(n,6))
n1 <- attr(r,"n1") ; pairs(r, col=1+((1:n) > n1))

## for n = 500, you *do* see it :
n <- 500
pairs(r <- rbwheel(n,6))
## show explicitly
n1 <- attr(r,"n1") ; pairs(r, col=1+((1:n) > n1))

## but increasing sig2 does help:
pairs(r <- rbwheel(n,6, sig2 = .2))

## show explicitly
n1 <- attr(r,"n1") ; pairs(r, col=1+((1:n) > n1))

set.seed(12)
pairs(X <- rbwheel(n, 7, spherize=TRUE))
colSums(X) # already centered

if(require("ICS") && require("robustbase")) {
  # ICS: Compare M-estimate [Max.Lik. of t_{df = 2}] with high-breakdown :
  stopifnot(require("MASS"))
  X.paM <- ics(X, S1 = cov, S2 = function(.) cov.trob(., nu=2)$cov, stdKurt = FALSE)
  X.paM.<- ics(X, S1 = cov, S2 = function(.) tM(., df=2)$V, stdKurt = FALSE)
  X.paR <- ics(X, S1 = cov, S2 = function(.) covMcd(.$cov, stdKurt = FALSE)
  plot(X.paM) # not at all clear
  plot(X.paM.)# ditto
  plot(X.paR)# very clear
}
## Similar such experiments ---> demo(rbwheel_d) and demo(rbwheel_ics)
##                               -----

```

## Description

Calculate an estimate of location, asymptotically equivalent to the median, and an estimate of scale equal to the **MEAN** absolute deviation. Both done recursively.

**Usage**

```
reclas(y, b = 0.2, mfn = function(n) 0.1 * n^(-0.25),
       nstart = 30, m0 = median(y0),
       scon=NULL, updateScale = is.null(scon))
```

**Arguments**

y	numeric vector of i.i.d. data whose location and scale parameters are to be estimated.
b	numeric tuning parameter (default value equal to that used by Holst, 1987).
mfn	a <a href="#">function</a> of the index of the data which must be positive and tend to 0 as the index tends to infinity. The default function is that used by Holst, 1987.
nstart	number of starting values: Starting values for the algorithm are formed from the first nstart values of y. The default value is that used in Cameron and Turner, 1993.
m0	value for the initial approximate median; by default, the <a href="#">median</a> of the first nstart observations.
scon	value for the scale parameter s, a <a href="#">function</a> or NULL. When NULL, as by default, the scale is initialized to the mean of the absolute differences between the first nstart y values and m0. If scon is a function, the initial scale is set to scon(y0, m0), where y0 is the vector of the first nstart y values. Note that scon also determines the default for updateScale.
updateScale	a logical indicating if the scale, initialized from scon should be updated in each iteration. Otherwise, the the scale is held constant throughout and the algorithm becomes equivalent to the algorithm of Holst.

**Value**

An S3 “object” of [class](#) “reclas”; simply a list with entries

locn	the successive recursive estimates of location. The first nstart - 1 of these are NA.
scale	the successive recursive estimates of scale <b>if</b> updateScale is true; otherwise the constant value used for the scale.
updateScale	the same as the function argument.
call	the function call, i.e., <a href="#">match.call</a> .

There is a [plot](#) method for “reclas”, see the examples.

**Author(s)**

<r.turner@auckland.ac.nz> <http://www.stat.auckland.ac.nz/~rolf>

Extensions by Martin Maechler (scon as function; updateScale, plot()).

## References

Cameron, Murray A. and Turner, T. Rolf (1993). Recursive location and scale estimators. *Commun. Statist. — Theory Meth.* **22**(9) 2503–2515.

Holst, U. (1987). Recursive estimators of location. *Commun. Statist. — Theory Meth.* **16** (8) 2201–2226.

## Examples

```
set.seed(42)
y <- rt(10000, df = 1.5) # not quite Gaussian ...
z1 <- reclas(y)
z3 <- reclas(y, scon= 1 ) # correct fixed scale
z4 <- reclas(y, scon= 100) # wrong fixed scale
z2 <- reclas(y, # a more robust initial scale:
             scon = function(y0, m0) robustbase::Qn(y0 - m0),
             updateScale = TRUE) # still updated

## Visualizing -- using the plot() method for "reclas":
M <- median(y) ; y1 <- c(-1,1)* 0.5
OP <- par(mfrow=c(2,2), mar=.1+c(3,3,1,1), mgp=c(1.5, .6, 0))
plot(z1, M=M, ylim=y1)
plot(z2, M=M, ylim=y1)
plot(z3, M=M, ylim=y1)
plot(z4, M=M, ylim=y1)
par(OP)
```

# Index

- \* **L1 Median**
    - L1median, 8
  - \* **Spatial Median**
    - L1median, 8
  - \* **array**
    - Qrot, 12
  - \* **distribution**
    - rbwheel, 13
  - \* **multivariate**
    - covNNC, 6
    - L1median, 8
    - mvBACON, 10
  - \* **package**
    - robustX-package, 2
  - \* **regression**
    - BACON, 3
  - \* **robust**
    - BACON, 3
    - covNNC, 6
    - L1median, 8
    - mvBACON, 10
    - rbwheel, 13
    - reclas, 15
  - \* **univar**
    - reclas, 15
    - .lmBACON (BACON), 3
    - %\*%, 13
- BACON, 3, 11
- class, 16
- cov.mcd, 7
- cov.nnve (covNNC), 6
- covMcd, 7, 9, 11
- covNNC, 6
- covOGK, 7
- function, 16
- L1median, 8
- l1median\_NLM, 9
- list, 5, 11
- match.call, 16
- matrix, 8
- median, 9, 16
- mvBACON, 3–5, 10
- nlm, 8
- nlminb, 8
- nlminbMethods (L1median), 8
- optim, 8
- optimMethods (L1median), 8
- plot, 16
- plot.reclas (reclas), 15
- qr, 13
- Qrot, 12, 14
- rbwheel, 13
- reclas, 15
- robustX (robustX-package), 2
- robustX-package, 2
- scale, 14
- set.seed, 10