

Package ‘spada’

July 10, 2026

Title A 'shiny' Package for Data Analysis

Version 0.1.7

Maintainer Luís Gustavo Schuck <luisgustavoschuck@yahoo.com.br>

Description Provides a 'shiny' application with a user-friendly interface for interactive data analysis. It supports exploratory data analysis through descriptive statistics, data visualization, statistical tests (e.g., normality assessment), linear modeling, data import, transformation and reporting. For more details see Shapiro and Wilk (1965) <doi:10.2307/2333709>.

License AGPL (>= 3)

URL <https://github.com/lgschuck/spada>,
<https://lgschuck.github.io/spada/>

BugReports <https://github.com/lgschuck/spada/issues>

Depends R (>= 4.4.0)

Imports bsicons (>= 0.1.2), bslib (>= 0.10.0), collapse (>= 2.1.6), data.table (>= 1.18.2.1), DescTools (>= 0.99.60), ggplot2 (>= 4.0.1), gt (>= 1.3.0), haven (>= 2.5.5), htmltools (>= 0.5.9), mirai (>= 2.5.3), qs2 (>= 0.1.7), rlang (>= 1.1.7), shiny (>= 1.12.1), shinyWidgets (>= 0.9.0), waiter (>= 0.2.5.1), writexl (>= 1.5.4)

Encoding UTF-8

Suggests dplyr, knitr, rmarkdown, testthat (>= 3.0.0), tidyselect

VignetteBuilder knitr

Config/testthat/edition 3

Config/roxygen2/version 8.0.0

NeedsCompilation no

Author Luís Gustavo Schuck [aut, cre]

Repository CRAN

Date/Publication 2026-07-10 05:50:02 UTC

Contents

spada 2

Index 3

spada	<i>Launch a 'shiny' application for data analysis</i>
-------	---

Description

Generates a 'shiny' application for interactive data analysis.

Usage

```
spada(..., run_local = TRUE)
```

Arguments

- ... Objects of data.frame class
- run_local Logical. Whether to run the application locally. If TRUE the app will close at session end.

Value

An object of class 'shiny.appobj' representing the 'shiny' application. Printing the object launches the interactive app in a web browser.

Examples

```
if(interactive()) spada(datasets::mtcars)
```

Index

spada, [2](#)